

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	((("5346744") or ("6121988"))).PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2006/02/09 09:15
L2	10	("2910628" "3221286" "3376479" "3716846" "3780430" "3971127" "4335272").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 09:11
L3	2	("6121988").URPN.	USPAT	OR	ON	2006/02/09 09:13
L4	27	((("4297004") or ("4431270") or ("4474432") or ("4597635") or ("4699470") or ("4789858") or ("4806922") or ("4808990") or ("4862153") or ("5029984") or ("5161009") or ("5220183") or ("5341233"))).PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2006/02/09 09:20
L5	2201	445/24.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:20
L6	8761	29/592.1,602.1,831,835,846,854,871,872,873.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:22
L7	484834	display near (structure or device)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:22
L8	1086	5 and 7	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:23
L9	106	6 and 7	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:24
L10	423	flexible near tape near (substrate or layer or component)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25
L11	1	8 and 10	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25

L12	0	9 and 10	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:24
L13	47787	flexible near (substrate or layer or component)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25
L14	6758	flexible near tape	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25
L15	796	13 and 14	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25
L16	2	8 and 15	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25
L17	0	9 and 15	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25
L18	419	TANAKA-SHUICHI.in.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:29
L19	7	7 and 18	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:30
L20	2	10 and 18	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:30
L21	1739	cut\$3 with bend\$3 with (opposite or back)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:31
L22	15	7 and 21	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:31
L23	10	("4993148" "5081562" "5144534" "5263248" "5288950" "5362547" "5378306" "5398128" "5419038" "5518674").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 09:33
L24	21	("6104464").URPN.	USPAT	OR	ON	2006/02/09 09:39

L25	4	("3716846" "3780430" "3780431" "4227238").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 10:19
L26	36	("4227238").URPN.	USPAT	OR	ON	2006/02/09 10:22
L27	5	("4085502" "4227238" "4316235" "4335272" "4388672").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 10:23
L28	15	("4742183").URPN.	USPAT	OR	ON	2006/02/09 10:23
L29	7	("4126863" "4394707" "4558427" "4651312" "4719322" "4727410" "4742183").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 10:31
L30	25	("4939792").URPN.	USPAT	OR	ON	2006/02/09 10:32
L31	9	(US-6121988-\$ or US-4335272-\$ or US-3716846-\$ or US-5398128-\$ or US-5362547-\$ or US-4227238-\$ or US-4742183-\$ or US-5257718-\$ or US-4939792-\$).did.	USPAT	OR	ON	2006/02/09 10:34
L32	2	31 and (glass)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 10:55
L33	2	31 and (laser)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 10:55
L34	1	31 and (groove with laser)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 10:56
L35	31	(printed adj circuit adj board) with groove with laser	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:01
L36	147	transparent adj wiring	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:01
L37	56927	transparent adj electrode\$1	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:02
L38	40	36 and 37	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:07

L39	1359	349/149.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:11
L40	830	7 and 39	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:08
L41	0	21 and 40	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:12
L42	38	40 and (bend\$3 with substrate)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:09
L43	1847	349/149-152.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:11
L44	1	21 and 43	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:12

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	((("5346744") or ("6121988"))).PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2006/02/09 09:15
L2	10	("2910628" "3221286" "3376479" "3716846" "3780430" "3971127" "4335272").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 09:11
L3	2	("6121988").URPN.	USPAT	OR	ON	2006/02/09 09:13
L4	27	((("4297004") or ("4431270") or ("4474432") or ("4597635") or ("4699470") or ("4789858") or ("4806922") or ("4808990") or ("4862153") or ("5029984") or ("5161009") or ("5220183") or ("5341233"))).PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2006/02/09 09:20
L5	2201	445/24.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:20
L6	8761	29/592.1,602.1,831,835,846,854,871,872,873.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:22
L7	484834	display near (structure or device)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:22
L8	1086	5 and 7	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:23
L9	106	6 and 7	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:24
L10	423	flexible near tape near (substrate or layer or component)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25
L11	1	8 and 10	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25

L12	0	9 and 10	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:24
L13	47787	flexible near (substrate or layer or component)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25
L14	6758	flexible near tape	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25
L15	796	13 and 14	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25
L16	2	8 and 15	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25
L17	0	9 and 15	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:25
L18	419	TANAKA-SHUICHI.in.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:29
L19	7	7 and 18	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:30
L20	2	10 and 18	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:30
L21	1739	cut\$3 with bend\$3 with (opposite or back)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:31
L22	15	7 and 21	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 09:31
L23	10	("4993148" "5081562" "5144534" "5263248" "5288950" "5362547" "5378306" "5398128" "5419038" "5518674").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 09:33
L24	21	("6104464").URPN.	USPAT	OR	ON	2006/02/09 09:39

L25	4	("3716846" "3780430" "3780431" "4227238").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 10:19
L26	36	("4227238").URPN.	USPAT	OR	ON	2006/02/09 10:22
L27	5	("4085502" "4227238" "4316235" "4335272" "4388672").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 10:23
L28	15	("4742183").URPN.	USPAT	OR	ON	2006/02/09 10:23
L29	7	("4126863" "4394707" "4558427" "4651312" "4719322" "4727410" "4742183").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 10:31
L30	25	("4939792").URPN.	USPAT	OR	ON	2006/02/09 10:32
L31	9	(US-6121988-\$ or US-4335272-\$ or US-3716846-\$ or US-5398128-\$ or US-5362547-\$ or US-4227238-\$ or US-4742183-\$ or US-5257718-\$ or US-4939792-\$).did.	USPAT	OR	ON	2006/02/09 10:34
L32	2	31 and (glass)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 10:55
L33	2	31 and (laser)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 10:55
L34	1	31 and (groove with laser)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 12:02
L35	31	(printed adj circuit adj board) with groove with laser	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 12:01
L36	147	transparent adj wiring	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:01
L37	56927	transparent adj electrode\$1	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:02
L38	40	36 and 37	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:07

L39	1359	349/149.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:11
L40	830	7 and 39	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:08
L41	0	21 and 40	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:12
L42	38	40 and (bend\$3 with substrate)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:09
L43	1847	349/149-152.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:11
L44	1	21 and 43	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 11:12
L45	91	216/65.ccls. and (cut\$4 with laser)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 12:01
L46	19	45 and (groove with laser)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/09 12:02


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

» Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((display device) <and> (transparent) <and> electrode)<in>metadata)) <and>..."

e-mail

Your search matched 4 of 1314030 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((display device) <and> (transparent) <and> electrode)<in>metadata)) <and> (pyr >

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

view selected items

[Select All](#) [Deselect All](#)

- ☐ 1. **Performance characteristics of nematic liquid crystal display devices**
Creagh, L.T.; Kmetz, A.R.; Reynolds, R.A.;
[Electron Devices, IEEE Transactions on](#)
Volume 18, Issue 9, Sep 1971 Page(s):672 - 679
[AbstractPlus](#) | Full Text: [PDF](#)(848 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Strain-biased ferroelectric-photoconductor image storage and display de**
Maldonado, J.R.; Meitzler, A.H.;
[Proceedings of the IEEE](#)
Volume 59, Issue 3, March 1971 Page(s):368 - 382
[AbstractPlus](#) | Full Text: [PDF](#)(2490 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Sputtered films for display devices**
Fraser, D.B.;
[Proceedings of the IEEE](#)
Volume 61, Issue 7, July 1973 Page(s):1013 - 1018
[AbstractPlus](#) | Full Text: [PDF](#)(614 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **A picture-display panel using a constricted-glow discharge**
Hori, H.; Kasahara, K.; Inoue, K.;
[Electron Devices, IEEE Transactions on](#)
Volume 21, Issue 6, Jun 1974 Page(s):372 - 376
[AbstractPlus](#) | Full Text: [PDF](#)(640 KB) IEEE JNL
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE --

Indexed by
 Inspec